

## PUBLICATIONS

1. Y. Komninos, N. Makri, and C. A. Nicolaides, "Electronic structure and the mechanism of autoionization for doubly excited states", *Z. Phys. D* **2**, 105-122 (1986).
2. C. A. Nicolaides, N. Makri and Y. Komninos, "Wave functions and autoionization of doubly excited states in momentum space", *J. Phys. B* **20**, 4963-4972 (1987).
3. N. Makri and W. H. Miller, "Basis set methods for describing the quantum mechanics of a 'system' interacting with a harmonic bath", *J. Chem. Phys.* **86**, 1451-1457 (1987).
4. N. Makri and W. H. Miller, "Monte Carlo integration with oscillatory integrands: implications for Feynman path integration in real time", *Chem. Phys. Lett.* **139**, 10-14 (1987).
5. N. Makri and W. H. Miller, "Time-dependent self-consistent field approximation for a reaction coordinate coupled to a harmonic bath: single and multiple configuration treatments", *J. Chem. Phys.* **87**, 5781-5787 (1987).
6. N. Makri and W. H. Miller, "Monte Carlo path integration for the real-time propagator", *J. Chem. Phys.* **89**, 2170-2177 (1988).
7. N. Makri and W. H. Miller, "Correct short time propagator for Feynman path integration by power series expansion in  $\Delta t$ ", *Chem. Phys. Lett.* **151**, 1-8 (1988).
8. N. Makri and W. H. Miller, "Exponential power series expansion for the quantum time evolution operator", *J. Chem. Phys.* **90**, 904-911 (1989).
9. N. Makri and W. H. Miller, "A semiclassical tunneling model, for use in classical trajectory simulations", *J. Chem. Phys.* **91**, 4026-4036 (1989).
10. W. H. Miller, Y. T. Chang, and N. Makri, "Some new theoretical methods for treating reaction dynamics in polyatomic molecular systems", in *Computational Advances in Organic Chemistry: Molecular Structure and Reactivity*, edited by C. Ogretir and I. G. Csizmadia, Kluwer Academic Publishers, pp. 289-302 (1991).
11. R. A. Harris, C. J. Grayce, N. Makri, and W. H. Miller, "A corrected exponential power series expansion of the position matrix elements of the time evolution operator for a system in the presence of a vector potential", *J. Chem. Phys.* **94**, 4682-4683 (1991).
12. N. Makri, "Effective non-oscillatory propagator for Feynman path integration in real time", *Chem. Phys. Lett.* **159**, 489-498 (1989).
13. N. Makri, "Feynman path integration in quantum dynamics", *Comp. Phys. Commun.* **63**, 389-414 (1991).
14. N. Makri, "Time-dependent self-consistent field approximation with explicit two-body correlations", *Chem. Phys. Lett.* **169**, 541-548 (1990).
15. N. Makri, "Accurate quantum mechanical calculation of thermally averaged reaction rate constants for polyatomic systems", *J. Chem. Phys.* **94**, 4949-4958 (1991).
16. N. Makri, "Time-dependent calculation of reaction rate constants: dynamical displacement operator treatment", *J. Phys. Chem.* **95**, 10413-10419 (1991).

17. N. Makri, "Improved Feynman propagators on a grid and nonadiabatic corrections within the path integral framework", *Chem. Phys. Lett.* **193**, 435-444 (1992).
18. N. Makri, "Real-time path integrals with quasi-adiabatic propagators: quantum dynamics of a system coupled to a harmonic bath", in *Time-Dependent Quantum Molecular Dynamics*, edited by J. Broeckhove and L. Lathouwers, Plenum Press, pp. 209-218 (1992).
19. M. Topaler and N. Makri, "Multidimensional path integral calculations with quasi-adiabatic propagators: quantum dynamics of vibrational relaxation in linear hydrocarbon chains", *J. Chem. Phys.* **97**, 9001-9015 (1992).
20. N. Makri, "On smooth Feynman propagators for real-time path integrals", *J. Phys. Chem.* **97**, 2417-2424 (1993).
21. N. Makri, "Comment on 'Monte Carlo evaluation of real-time Feynman path integrals for quantal many-body dynamics: distributed approximating functions and Gaussian sampling'", *J. Phys. Chem.* **97**, 8105-8106 (1993).
22. M. Topaler and N. Makri, "Quasi-adiabatic propagator path integral methods: exact quantum rate constants for condensed phase reactions", *Chem. Phys. Lett.* **210**, 285-293 (1993).
23. M. Topaler and N. Makri, "System-specific discrete variable representations for path integral calculations with quasi-adiabatic propagators", *Chem. Phys. Lett.* **210**, 448-457 (1993).
24. D. E. Makarov and N. Makri, "Tunneling dynamics in dissipative curve crossing problems", *Phys. Rev. A* **48**, 3626-3635 (1993).
25. D. E. Makarov and N. Makri, "Path integrals for dissipative systems by tensor multiplication: condensed phase quantum dynamics for arbitrarily long time", *Chem. Phys. Lett.* **221**, 482-491 (1994).
26. G. Ilk and N. Makri, "Real time path integral methods for a system coupled to an anharmonic bath", *J. Chem. Phys.* **101**, 6708-6716 (1994).
27. M. Topaler and N. Makri, "Quantum rates for a double well coupled to a dissipative bath: accurate path integral results and comparison with approximate theories", *J. Chem. Phys.* **101**, 7500-7519 (1994).
28. N. Makri and D. E. Makarov, "Tensor propagator for iterative quantum time evolution of reduced density matrices. I. Theory", *J. Chem. Phys.* **102**, 4600-4610 (1995).
29. N. Makri and D. E. Makarov, "Tensor propagator for iterative quantum time evolution of reduced density matrices. II. Numerical methodology", *J. Chem. Phys.* **102**, 4611-4618 (1995).
30. E. Sim and N. Makri, "Time-dependent discrete variable representations for quantum wavepacket propagation", *J. Chem. Phys.* **102**, 5616-5625 (1995).
31. N. Makri, "Numerical path integral techniques for long-time quantum dynamics of quantum dissipative systems", *J. Math. Phys.* **36**, 2430-2457 (1995).
32. D. E. Makarov and N. Makri, "Stochastic resonance and nonlinear response in double quantum well structures", *Phys. Rev. B* **52**, R2257-2260 (1995).

33. D. E. Makarov and N. Makri, "Control of dissipative tunneling dynamics by continuous-wave electromagnetic fields: localization and large-amplitude coherent motion", *Phys. Rev. E* **52**, 5863-5872 (1995).
34. M. Topaler and N. Makri, "Path integral calculation of quantum nonadiabatic rates in model condensed phase reactions", *J. Phys. Chem.* **100**, 4430-4436 (1996).
35. E. Sim and N. Makri, "Tensor propagator with weight-selected paths for quantum dissipative dynamics with long-memory kernels", *Chem. Phys. Lett.* **249**, 224-230 (1996).
36. N. Makri, E. Sim, D. E. Makarov and M. Topaler, "Long-time quantum simulation of the primary charge separation in bacterial photosynthesis", *Proc. Natl. Acad. Sci. U.S.A.* **93**, 3926-3931 (1996).
37. E. Sim and N. Makri, "Filtered propagator functional for iterative dynamics of quantum dissipative systems", *Comp. Phys. Commun.* **99**, 335-354 (1997).
38. N. Makri and L. Wei, "Universal delocalization rate in driven dissipative two-level systems at high temperature", *Phys. Rev. E* **55**, 2475-2479 (1997).
39. N. Makri, "Stabilization of localized states in dissipative tunneling systems interacting with monochromatic fields", *J. Chem. Phys.* **106**, 2286-2297 (1997).
40. N. Makri, "Path integral methods", in *The Encyclopedia of Computational Chemistry*, edited by P. v. R. Schleyer, N. L. Allinger, T. Clark, J. Gasteiger, P. A. Kollman, H. F. Schaefer III and P. R. Schreiner, John Wiley & Sons, Chichester, pp. 2021-2029 (1998).
41. N. Makri, "Path integral simulation of long-time dynamics in quantum dissipative systems", in *Functional Integration: Basics and Applications*, edited by C. DeWitt-Morette, P. Cartier and A. Folacci, Plenum Press, pp. 193-211 (1997).
42. E. Sim and N. Makri, "Path integral simulation of charge transfer dynamics in photosynthetic reaction centers", *J. Phys. Chem. B* **101**, 5446-5458 (1997).
43. K. M. Forsythe and N. Makri, "Path integral study of hydrogen diffusion in crystalline silicon", *J. Chem. Phys.* **108**, 6819-6828 (1998); K. M. Forsythe and N. Makri, "Erratum on Path integral study of hydrogen diffusion in crystalline silicon", *J. Chem. Phys.* **110**, 6082 (1999).
44. G. Taft and N. Makri, "Effects of periodic driving on asymmetric two-level systems coupled to dissipative environments", *J. Phys. B* **31**, 209-226 (1998).
45. N. Makri, "Tunneling in the condensed phase: barrier crossing and dynamical control", in *Classical and Quantum Dynamics in Condensed Phase Simulations*, edited by B. J. Berne, G. Ciccotti and D. F. Coker, World Scientific, pp. 629-645 (1998).
46. N. Makri, "Quantum dissipative dynamics: a numerically exact methodology", *J. Phys. Chem. A*, invited Feature Article **102**, 4414-4427 (1998).
47. N. Makri, "Dynamics of reduced density matrices: classical memory vs. quantum nonlocality", *J. Chem. Phys.* **109**, 2994-2998 (1998).
48. N. Makri and K. Thompson, "Semiclassical influence functionals for quantum systems in anharmonic environments", *Chem. Phys. Lett.* **291**, 101-109 (1998).

49. K. M. Forsythe and N. Makri, "Effects of frequency variation in modes orthogonal to the reaction path on condensed phase reaction rates", *J. Mol. Structure* **466**, 103-110 (1999).
50. K. Thompson and N. Makri, "Influence functionals with semiclassical propagators in combined forward-backward time", *J. Chem. Phys.* **110**, 1343-1353 (1999).
51. N. Makri, "The linear response approximation and its lowest order corrections: an influence functional approach", *J. Phys. Chem. (Letter)* **103**, 2823-2829 (1999).
52. J. Shao and N. Makri, "Influence functional from a bath of coupled time-dependent harmonic oscillators", *Phys. Rev. E* **59**, 269-274 (1999).
53. K. Forsythe and N. Makri, "Dissipative tunneling in a bath of two-level systems", *Phys. Rev. B* **60**, 972-978 (1999).
54. K. Thompson and N. Makri, "Rigorous forward-backward semiclassical formulation of many-body dynamics", *Phys. Rev. E* **59**, R4729-R4732 (1999).
55. N. Makri, "Time-dependent quantum methods for large systems", *Ann. Rev. Phys. Chem.* **50**, 167-191 (1999).
56. J. Shao and N. Makri, "Forward-backward semiclassical dynamics without prefactors", *J. Phys. Chem. (Letter)* **103**, 7753-7756 (1999).
57. J. Ray and N. Makri, "Short range coherence in the energy transfer of photosynthetic light harvesting systems", *J. Phys. Chem.* **103**, 9417-9422 (1999).
58. J. Shao and N. Makri, "Forward-backward semiclassical dynamics with linear scaling", *J. Phys. Chem.* **103**, 9479-9486 (1999).
59. O. Kühn and N. Makri, "Forward-backward semiclassical calculation of spectral lineshapes:  $I_2$  in a rare gas cluster", *J. Phys. Chem.* **103**, 9487-9493 (1999).
60. N. Makri, "Iterative evaluation of the path integral for a system coupled to an anharmonic bath", *J. Chem. Phys. (Rapid Commun.)* **111**, 6164-6167 (1999).
61. N. Makri and J. Shao, "On the dissipative properties of coherent radiation", *Z. Physik. Chemie* **214**, 1187-1192 (2000).
62. J. Shao and N. Makri, "Forward-backward semiclassical dynamics in the interaction representation", *J. Chem. Phys.* **113**, 3681-3685 (2000).
63. N. Makri, "Localization of dissipative tunneling systems driven by monochromatic light", in *Advances in Multiphoton Processes and Spectroscopy* **14** (Quantum Control of Molecular Reaction Dynamics: Proceedings of the US-Japan Workshop, eds. R. J. Gordon and Y. Fujimura, World Scientific, Singapore), pp. 266-285, 2001.
64. N. Makri and G. C. Schatz, "Tribute to William H. Miller", *J. Phys. Chem. A* **105**, 2485-2486 (2001).
65. E. Jezek and N. Makri, "Finite temperature correlation functions via forward-backward semiclassical dynamics", *J. Phys. Chem.* **105**, 2851-2857 (2001).
66. N. Makri, "Forward-backward semiclassical dynamics", in *Fluctuating Paths and Fields*, eds. W. Janke, A. Pelster, H.-J. Schmidt, and M. Bachmann, World Scientific, Singapore, 2001.

67. J. Shao and N. Makri, "Iterative path integral calculation of quantum correlation functions for dissipative systems", *Chem. Phys.* **268**, 1-10 (2001).
68. N. Makri and J. Shao, "Semiclassical time evolution in the forward-backward stationary phase limit", in "Low-lying potential energy surfaces", edited by M. R. Hoffman and K. G. Dyall, ACS Symposium Series, Volume 828 (2002).
69. J. Shao and N. Makri, "Iterative path integral formulation of equilibrium correlation functions for quantum dissipative systems", *J. Chem. Phys.* **116**, 507-514 (2002).
70. Y. Zhao and N. Makri, "Quasiclassical dynamics methods from semiclassical approximations", *Chem. Phys.* **280**, 135-151 (2002).
71. N. Makri and W. H. Miller, "Coherent state semiclassical initial value representation for the Boltzmann operator in thermal correlation functions", *J. Chem. Phys.* **116**, 9207-9212 (2002).
72. N. Makri, "Monte Carlo evaluation of forward-backward semiclassical correlation functions with a quantized coherent state density", *J. Phys. Chem. B* **106**, 8390-8398 (2002).
73. Y. Zhao and N. Makri, "Bohmian vs. semiclassical description of interference phenomena", *J. Chem. Phys.* **119**, 60-67 (2003).
74. N. J. Wright and N. Makri, "Forward-backward semiclassical dynamics for condensed phase time correlation functions", *J. Chem. Phys.* **119**, 1634-1642 (2003).
75. A. Nakayama and N. Makri, "Forward-backward semiclassical dynamics for quantum fluids using pair propagators: application to liquid *para*-hydrogen", *J. Chem. Phys.* **119**, 8592-8605 (2003).
76. K. Dong and N. Makri, "Optimizing terahertz emission from double quantum wells", *Chem. Phys.* **296**, 273-279 (2004).
77. N. Makri, "Forward-backward quantum dynamics for time correlation functions", *J. Phys. Chem. A* **108**, 806-812 (2004).
78. N. J. Wright and N. Makri, "Phase space features and statistical aspects of forward-backward semiclassical dynamics", *J. Phys. Chem. B* **108**, 6816-6825 (2004).
79. C. P. Lawrence, A. Nakayama, N. Makri and J. L. Skinner, "Quantum dynamics of simple fluids", *J. Chem. Phys.* **120**, 6621-6624 (2004).
80. J. Liu and N. Makri, "Monte Carlo Bohmian dynamics from trajectory stability properties", *J. Phys. Chem. A* **108**, 5408-5416 (2004).
81. A. Nakayama and N. Makri, "Forward-backward semiclassical dynamics for systems of indistinguishable particles", *Chem. Phys.* **304**, 147-158 (2004).
82. K. Dong and N. Makri, "Quantum stochastic resonance in the strong field limit", *Phys. Rev. A* **70**, 042101 (2004).
83. N. Makri, A. Nakayama and N. J. Wright, "Forward-backward semiclassical simulation of dynamical properties in liquids", invited review, *J. Theor. Comp. Chem.* **3**, 391-417 (2004).

84. N. Makri, "Information guided noise reduction for Monte Carlo integration of oscillatory functions", *Chem. Phys. Lett.* **400**, 446-452 (2004).
85. J. Liu and N. Makri, "Bohm's formulation in imaginary time: Estimation of energy eigenvalues", *Mol. Phys.* **103**, 1083-1090 (2005).
86. A. Nakayama and N. Makri, "Simulation of dynamical properties of normal and superfluid helium", *Proc. Natl. Acad. Sci. U.S.A.* **102**, 4230-4234 (2005).
87. J. Liu and N. Makri, "Symmetries and detailed balance in forward-backward semiclassical dynamics", *Chem. Phys.* **322**, 23-29 (2006).
88. J. Liu, A. Nakayama and N. Makri, "Long-time behavior of quantized distributions in forward-backward semiclassical dynamics", *Mol. Phys.* **104**, 1267-1274 (2006).
89. A. Nakayama and N. Makri, "Symmetrized correlation functions for liquid *para*-hydrogen using complex-time pair-product propagators", *J. Chem. Phys.* **125**, 024503 (2006).
90. J. Kegerreis and N. Makri, "Optimized Monte Carlo sampling in forward-backward semiclassical dynamics", *J. Comput. Chem.* **28**, 818-824 (2007).
91. E. Bukhman and N. Makri, "Forward-backward semiclassical dynamics with information-guided noise reduction for a molecule in solution" (special issue in honor of Thomas H. Dunning), *J. Phys. Chem. A* **111**, 11320-11327 (2007).
92. N. Makri, "Equilibrium and dynamical path integral methods in bacterial photosynthesis", in *Biophysical Techniques in Photosynthesis*, Volume II (Thijs J. Aartsma and Jörg Matysik, eds.), p. 465-485, Series: Advances in Photosynthesis and Respiration, Vol. 26, Springer, Dordrecht (2008).
93. J. Chen and N. Makri, "Forward-backward semiclassical dynamics with single-bead coherent state density", *Mol. Phys.* **106**, 443-453 (2008).
94. J. Kegerreis, A. Nakayama and N. Makri, "Complex-time velocity autocorrelation functions for Lennard-Jones fluids with quantum pair-product propagators", *J. Chem. Phys.* **128**, 184509 (2008).
95. V. Jadhao and N. Makri, "Iterative Monte Carlo for quantum dynamics", *J. Chem. Phys.* (Communication) **129**, 161102 (2008).
96. J. Kegerreis and N. Makri, "Direct Monte Carlo evaluation of real-time quantum correlation functions using single-step propagators", *Chem. Phys. Lett.* **467**, 430-434 (2009).
97. E. Bukhman and N. Makri, "Mixed quantum and forward-backward semiclassical dynamics" (special issue in honor of R. Benny Gerber), *J. Phys. Chem.* **113**, 7183-7188 (2009).
98. J. Chen and N. Makri, "Time correlation functions via forward-backward quantum dynamics using Hamilton's law of varying action", *J. Chem. Phys.* **131**, 124107 (2009).
99. M. Sahrpouir and N. Makri, "Nonlinear response functions in model dissipative systems", *J. Chem. Phys.* **132**, 134506 (2010).

100. J. Chen and N. Makri, “Low-temperature correlation functions via forward-backward quantum dynamics” (special issue in honor of Eli Pollak), *Chem. Phys.* **370**, 15-19 (2010).
101. V. Jadhao and N. Makri, “Iterative Monte Carlo with bead-adapted sampling for complex-time correlation functions”, *J. Chem. Phys.* **132**, 104110 (2010).
102. V. Jadhao and N. Makri, “Iterative Monte Carlo path integral with optimal grids from whole-necklace sampling”, *J. Chem. Phys.* **133**, 114105 (2010).
103. C. Baltaretu and N. Makri, “Iterative Monte Carlo formulation of real-time correlation functions”, *J. Chem. Phys.* **133**, 164103 (2010).
104. J. Chen and N. Makri, “Information-guided noise reduction in forward-backward semiclassical dynamics”, *J. Chem. Theor. Comput.* **7**, 4-9 (2011).
105. N. Makri, “Forward-backward semiclassical and quantum trajectory methods for time correlation functions”, *Phys. Chem. Chem. Phys.* **13**, 14442-14452 (2011) (invited Perspective).
106. N. Makri, M. Head-Gordon, D. Chandler and W. T. Yang, “Quantum molecular dynamics: A Festschrift in honor of William H. Miller – Introduction”, *Mol. Phys.* **110**, 493 (2012).
107. N. Makri, “Path integral renormalization for quantum dissipative dynamics with multiple timescales” (invited article for W. H. Miller Festschrift), *Mol. Phys.* **110**, 1001-1007 (2012).
108. R. Lambert and N. Makri, “Memory path propagator matrix for long-time dissipative charge transport dynamics” (invited article for D. R. Herschbach Festschrift), *Mol. Phys.* **110**, 1967-1975 (2012).
109. R. Lambert and N. Makri, “Quantum-classical path integral: I. Classical memory and weak quantum nonlocality” (invited article in special issue on Nonadiabatic Dynamics), *J. Chem. Phys.* **137**, 22A552 (2012). [*Editor’s Choice for 2012.*]
110. R. Lambert and N. Makri, “Quantum-classical path integral: II. Numerical methodology” (invited article in special issue on Nonadiabatic Dynamics), *J. Chem. Phys.* **137**, 22A553 (2012). [*Editor’s Choice for 2012.*]
111. M. Sahrpou and N. Makri, “Tunneling, decoherence and entanglement of two qubits interacting with a dissipative bath”, *J. Chem. Phys.* **138**, 114109 (2013).
112. T. Banerjee and N. Makri, “Quantum-classical path integral with self-consistent solvent-driven propagators” (invited article for P. G. Wolynes Festschrift), *J. Phys. Chem. B* **117**, 13357-66 (2013).
113. N. Makri, “Exploiting classical decoherence in quantum dissipative dynamics”, invited *Frontiers* article, *Chem. Phys. Lett.* **593**, 93-103 (2014).
114. N. Makri, “Blip decomposition of the path integral: Exponential acceleration of real-time calculations on quantum dissipative systems”, *J. Chem. Phys.* **141**, 134117 (2014). [*Editor’s Choice for 2014.*]
115. N. Makri, “Quantum-classical path integral: A rigorous approach to condensed-phase dynamics”, *International Journal of Quantum Chemistry* (Invited Perspective) **115**, 1209-1214 (2015).

116. P. L. Walters, T. Banerjee and N. Makri, "On iterative path integral calculations for a system interacting with a shifted dissipative bath", *J. Chem. Phys.* **143**, 074112 (2015).
117. A. Bose and N. Makri, "Evaluation of the Wigner distribution via classical adiabatic switching", *J. Chem. Phys.* **143**, 114114 (2015).
118. P. L. Walters and N. Makri, "Quantum-classical path integral simulation of ferrocene-ferrocenium charge transfer in liquid hexane", *J. Phys. Chem. Lett.* **6**, 4959-4965 (2015).
119. P. L. Walters and N. Makri, "Iterative quantum-classical path integral with dynamically consistent state hopping", *J. Chem. Phys.* **144**, 044108 (2016).
120. T. C. Allen, P. L. Walters and N. Makri, "Direct computation of influence functional coefficients from numerical correlation functions", *J. Chem. Theory and Comput.* **12**, 4169-4177 (2016).
121. N. Makri, "Blip-summed quantum-classical path integral with cumulative memory", *Faraday Discuss.* **195**, 8192 (2016).
122. P. L. Walters, T. C. Allen and N. Makri, "Direct determination of harmonic bath parameters from molecular dynamics simulations", *J. Comput. Chem.* **38**, 110-115 (2017).
123. N. Makri, "Iterative blip-summed path integral for quantum dynamics in strongly dissipative environments", *J. Chem. Phys.* **146**, 134101 (2017).
124. A. Bose and N. Makri, "Non-equilibrium reactive flux: A unified framework for slow and fast reaction kinetics", *J. Chem. Phys.* **147**, 152723 (2017).
125. N. Makri, "Modular path integral: Quantum dynamics via sequential necklace linking", *J. Chem. Phys. (Communication)* **148**, 101101 (2018).
126. A. Bose and N. Makri, "Wigner distribution by adiabatic switching in normal mode or Cartesian coordinates and molecular applications", *J. Chem. Theory and Comput.* **14**, 5446-5458 (2018). DOI: [10.1021/acs.jctc.8b00179](https://doi.org/10.1021/acs.jctc.8b00179)
127. N. Makri, "Modular path integral methodology for real-time quantum dynamics", *J. Chem. Phys.* **149**, 204108 (2018).
128. A. Bose and N. Makri, "Quasiclassical correlation functions from the Wigner density using the stability matrix", *J. Chem. Inform. Modeling* **59**, 2165-2174 (2019).
129. A. Bose and N. Makri, "Coherent state-based path integral methodology for computing the Wigner phase space distribution", *J. Phys. Chem. B* **123**, 4884-4894 (2019).
130. F. Wang and N. Makri, "Quantum-classical path integral with a harmonic treatment of the back-reaction", *J. Chem. Phys.* **150**, 184102 (2019).
131. S. Kundu and N. Makri, "Modular path integral for discrete systems with non-diagonal couplings", *J. Chem. Phys.* **151**, 074110 (2019).
132. S. Chatterjee and N. Makri, "Real-time path integral methods, quantum master equations, and classical vs. quantum memory", *J. Phys. Chem. B* **123**, 10470-10482 (2019).
133. N. Makri, "Small matrix disentanglement of the path integral: Overcoming the exponential tensor scaling with memory length", *J. Chem. Phys. (Commun.)* **152**, 041104 (2020).



134. A. Bose and N. Makri, "All-mode quantum-classical path integral simulation of bacteriochlorophyll dimer exciton-vibration dynamics", *J. Phys. Chem. B* **124**, 5028–5038 (2020).
135. N. Makri, "Small matrix path integral for system-bath dynamics", *J. Chem. Theory and Comput.* **16**, 4038-4049 (2020).
136. S. Kundu and N. Makri, "Efficient matrix factorization of the modular path integral for extended systems", *Mol. Phys.* 2021, DOI: [10.1080/00268976.2020.1797200](https://doi.org/10.1080/00268976.2020.1797200)
137. S. Kundu and N. Makri, "Modular path integral for finite-temperature dynamics of extended systems with intramolecular vibrations", *J. Chem. Phys.* **153**, 044124 (2020).
138. S. Chatterjee and N. Makri, "Recovery of purity in dissipative tunneling dynamics", *J. Phys. Chem. Letters* **11**, 8592-8596 (2020).
139. S. Kundu and N. Makri, "Real-time path integral simulation of exciton-vibration dynamics in light harvesting bacteriochlorophyll aggregates", *J. Phys. Chem. Letters* **11**, 8783-8789 (2020).
140. N. Makri, "Small matrix path integral with extended memory", *J. Chem. Theory and Comput.* **17**, 1-6 (2021).
141. M. Nava and N. Makri, "Quantum-classical path integral simulation of excess proton dynamics in a water dimer embedded in the gramicidin channel", *J. Chem. Theory and Comput.* **17**, 627-638 (2021).
142. S. Chatterjee and N. Makri, "Density matrix and purity evolution in dissipative two-level systems: I. Theory and path integral results for tunneling dynamics", *Phys. Chem. Chem. Phys.* (submitted).
143. S. Chatterjee and N. Makri, "Density matrix and purity evolution in dissipative two-level systems: II. Relaxation dynamics", *Phys. Chem. Chem. Phys.* (submitted).
144. S. Kundu and N. Makri, "Real-time path integral simulation of exciton-vibration dynamics in J-aggregates of perylene bisimide", *J. Phys. Chem.* **125**, 201–210 (2021).
145. A. Bose and N. Makri, "Quantum-classical path integral evaluation of reaction rates with a near-equilibrium flux formulation", *Int. J. Quantum Chem.* (in press).
146. S. Kundu and N. Makri, "Origin of vibrational features in the excitation energy transfer dynamics of perylene bisimide J-aggregates", *J. Chem. Phys.* (submitted).